

## FM-CW Type Microwave Level Meter

**Matsushita**  
Matsushita Measure Tech

For High-temperature, High-pressure and Adverse Environments

### *FM-CW Type Microwave Level Meter*





# FM-CW Type Microwave Level Meter



## ● Specifications

Model Number	MWLM-FMP-M
Type	Microwave FMCW Rader (FFT system)
Microwave Frequency	x band ( 8.2 ~ 12.4 GHz )
Oscillation Frequency	9.5GHZ zone
Antenna Type	Horn antenna
Antenna Material	Stainless steel(SUS304)
Measuring Range	1~10M
Measurement accuracy	FS ± 0.2% max.
Power Supply voltage	85V to 264 VAC at 50/60Hz,Single phase
Level Output1	4 mA to20 mA
Cylinder Stroke	700 mm
Adjustment Software	
Local Control Panel	500Wx400Hx300D,5digits Led
Contact output	Alarm contact output(device faults,communications faults, signal faults,and excessive lemperature)
Data I/O	<a href="#">RS232C</a> or <a href="#">RS485</a>

Specifications are subject to change without notice.  
All Rights Reserved Copyright©2007, Matsushima Machinery Laboratory Co.,Ltd.



**Caution**  
●Read the Instructions to ensure correct and suitable application of products.  
●Contact our nearest sales office when using our products for any systems used in situations which may be life threatening.

Distributor



## Matsushima Measure Tech Co., Ltd.

**HEAD OFFICE**  
1-8-18, NIRMATSU-HIGASHI, YAHATANISHI-KU, KITAKYUSHU,  
807-0837 JAPAN  
Tel: +81-93-691-3731 FAX: +81-93-691-3735

**Chicago Representative Office**  
1600 GOLF ROAD,SUITE 100, ROLLING MEADOWS, IL 60008, USA  
Tel: +1-847-981-4742 FAX:+1-847-890-6688

<http://www.matsushima-m-tech.com> E-mail : [info@matsushima-m-tech.com](mailto:info@matsushima-m-tech.com)

**Pohang Representative Office**  
Odyssey Bldg. 1F, 41, Juksa-ro 28beon-gil, Buk-gu, Pohang-si,  
Gyeongsangbuk-do, 701-841, Korea  
Tel: +82-(0)54-274-3731 FAX: +82-(0)54-274-3731

**Affiliated company**  
Shanghai Dahong Matsushima Machinery Co., Ltd.  
70 Henggang Road, Dahong, Malu, Jading, Shanghai 201818, China  
Tel: +86-(0)21-5951-4138 FAX: +86-(0)21-5951-4139